

Hi-K

0-26-28

GUARANTEED ANALYSIS

Soluble Potash (K₂O) 28.0%

Derived from: Phosphoric Acid and Potassium Phosphate.

13.60 lbs/gal at 68°F

F1132

PROVIDES ESSENTIAL PLANT NUTRIENTS IN A WATER-SOLUBLE FORM

KEEP OUT OF REACH OF CHILDREN

WARNING: Causes eye and skin irritation

Wear protective clothing, gloves, eye and face protection. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Remove and wash contaminated

clothing before reuse. Avoid breathing vapor, mist or dust from this product. Not for human or animal consumption.

If in eyes: Rinse thoroughly with water for several minutes. Continue rinsing and get medical attention if eye irritation persists.

If on skin: Wash with plenty of soap and water.

If swallowed: Rinse mouth and get medical attention if you feel unwell.



NOTICE: Do not store this product at temperatures below 40°F as precipitates may form that are difficult to dissolve. DO NOT expose to temperatures below 32°F.

Nutrient Technologies, Inc. 1092 E. Kamm Ave., Dinuba, CA 93618 559-595-8090 | www.Nutrient.TECH

NET CONTENTS 2.5 GAL. (9.46L)

MADE IN THE USA

RECOMMENDATION USES FOR Hi-K

Uniformly apply the suggested rates of in the following amounts of water per acre.

COMPATIBILITY: This product is compatible with most crop protection materials. A compatibility test is recommended when using new combinations. Do not mix with lime or TPTH.

FOR FOLIAR APPLICATION			
	Dilution	Rate	Application Timing
Field, Row & Vegetable Crops	By air: 3-20 gal By ground: 5 gal min	1 pt - 4 qts	Apply every 2-4 weeks as needed, starting pre- bloom
Tree & Vine Crops	By air: 10 gal min By ground dilute: 100-500 gal By ground concentrate: 25-100 gal	1 pt - 4 qts	Apply every 2-4 weeks as needed, starting pre- bloom to post harvest
In oil sprays: use 1-4 pints per 100 gallons		Minimum dilution rate: 1 quart per 3 gallons	

NOTE: Product may leave residue on crops when applied at higher concentrations or at higher useage rates. Product tank mixed with soluble Calcium foliar fertilizers may leave a visible residue on crops. Do not apply such combinations within 3-4 weeks of harvest.

FOR SOIL APPLICAT	ΓΙΟΝ		
	Dilution	Rate	Application Timing
For All Crops		1 qt - 4 qts	Apply to root zone every 1-3 weeks as needed
should be thoroughly flu	hate or sulfate fertilizer products. Any shed from fertigation equipment prior the early part of the water application.	to application. App	

Store in a cool, dry, well-ventilated area away from heat, combustible and in compatible materials. Dispose of unused contents, container, and other contaminated wastes in accordance with local, state, and federal law.

NOTICE: Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY: Nutrient Technologies, Inc. ("NTI") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, NTI makes no other warranties and disclaims all other warranties.

MADE IN THE USA