

GUARANTEED ANALYSIS

Available Phosphate (P ₂ O ₅)	10.0%
Magnesium (Mg)	3.0%
Sulfur (S)	2.5%
Zinc (Zn)	1.0%

Derived from: Phosphoric Acid, Magnesium Sulfate and Zinc Sulfate.

10.50 lbs/gal at 68°F

F1132

PROVIDES ESSENTIAL PLANT NUTRIENTS IN A WATER SOLUBLE FORM

NOTICE: Do not store this product at temperatures below 40°F as precipitates may form that are difficult to dissolve. DO NOT expose to temperatures below 32°F.

KEEP OUT OF REACH OF CHILDREN

WARNING: Causes serious burns and eye damage

Harmful if swallowed



Wear protective clothing, gloves, eye and face protection. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Remove and wash contaminated clothing before reuse. Avoid breathing vapor, mist or dust from this product. Not for human or animal consumption.

If in eyes: Rinse thoroughly with water for several minutes. Continue rinsing and get medical attention if eye irritation persists.

If on skin: Remove contaminated clothing. Wash with plenty of soap and water. Get medical attention if eye irritation persists.

If swallowed: Rinse mouth and get medical attention if you feel unwell. Do not induce vomiting.



RECOMMENDATION USES FOR MG

Uniformly apply the suggested rates in the following amounts of water per acre.

COMPATIBILITY: This product is compatible with most crop protection materials. A compatibility test is recommended when using new combinations. Do not mix with lime, fixed copper fungicides, or TPTH. Consult a Nutrient.TECH representative for additional information.

FOR FOLIAR APPLICATION			
	Dilution	Rate	Application Timing
Field, Row & Vegetable Crops	By air: 3-20 gal By ground: 5 gal min	1 pt - 2 qts	Apply every 2-4 weeks as needed, starting pre-bloom
Tree & Vine Crops	By air: 10 gal min By ground dilute: 100-500 gal By ground concentrate: 25-100 gal	1 pt - 4 qts	Apply every 2-4 weeks as needed, starting pre-bloom to post harvest
For Kiwi do not exceed 2 qts per acre per application.			
In oil sprays: use 1-4 pints per 100 gallons		Minimum dilution rate: 1 quart per 3 gallons	

FOR SOIL APPLICATION			
		Rate	Application Timing
For All Crops		1 qt - 4 qts	Apply to root zone every 1-3 weeks as needed
Do not apply with phosphate or sulfate fertilizer products. Any previously applied phosphate or sulfate fertilizer should be thoroughly flushed from fertigation equipment prior to application of this product. Apply the product slowly into fertigation equipment in the early part of the water application.			

Store in a cool, dry, well-ventilated area away from heat, combustible and in compatible materials. Dispose of unused contents, container, and other contaminated wastes in accordance with local, state, and federal law.

NOTICE: Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY: Nutrient Technologies, Inc. ("NTI") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, NTI makes no other warranties and disclaims all other warranties.