

SAFETY DATA SHEET

SECTION 1-IDENTIFICATION

Product name: MoPower 4-2-1

Synonyms: TECH-SPRAY MoPower 4-2-1

Product use: Agricultural nutrient product used to improve plant health.

Product restrictions: Not for human or animal consumption.

Manufacturer name: Nutrient Technologies, Inc.

Address: 1092 E. Kamm Ave., Dinuba, CA 93618

General phone number: (559) 595-8090

Transportation emergency #: CHEMTREC: 800-424-9300

SECTION 2 - HAZARD(S) IDENTIFICATION



Signal word: Warning

GHS Class: Eye Irritant, Category 2, Skin Irritant, Category 2

Hazard statements: Causes eye and skin irritation.

Precautionary Statements

Prevention: Wear protective clothing, gloves, eye, and face protection.

Response: Wash hands thoroughly after handling.

Disposal:

Disposal:

with local, state, and federal regulations.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Component Proprietary blend of plant nutrients and inert ingredients including:

ammonium molybdate, phosphoric acid, potassium hydroxide, urea.

CAS Number Not applicable.

Weight% 100%

SECTION 4 - FIRST AID MEASURES

Eye contact: Immediately flush opened eyes with plenty of water for 15-20 minutes.

Get medical attention if irritation persists.

Skin contact: Immediately wash skin with soap and water. Get medical attention if

irritation persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration.

Seek immediate medical attention.

If swallowed, do not induce vomiting. Call a physician or poison control

center. Never give anything by mouth to an unconscious person.

SECTION 5-FIRE FIGHTING MEASURES

Extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog

when fighting fires involving this product.

Specific hazards arising from

the chemical:

Personal precautions:

May emit oxides of carbon under fire conditions.

Protective equipment:

As in any fire, wear self-contained breathing apparatus (SCBA),

MSHA/NIOSH approved, and full protective gear.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Evacuate area and keep unnecessary and unprotected personnel from

entering spill area. Do not walk through spilled material. Put on

appropriate personal protective equipment (section 8).

Environmental precautions: Avoid runoff into waterways, drains and sewers.

Methods for containment:

Contain spills with an inert absorbent material such as soil or sand.

Prevent spreading by diking or other means.

Clean up spills immediately and place in suitable container for disposal.

Methods for cleanup: Provide ventilation. After removal, flush spill area with soap and water.

SECTION 7 - HANDLING and STORAGE

Precautions for handling:

Use with adequate ventilation. Avoid breathing vapor and contact with

eyes, skin and clothing.

Store in a cool, dry, well-ventilated area away from heat, combustible

Precautions for storage: and incompatible materials. Keep container tightly closed when not in

use.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

Occupational exposure limits:

Ammonium Molybdate 5 mg/m3 TWA (OSHA)

Urea 15 mg/m3 PEL (OSHA) total dust

Appropriate engineering

controls:

Use appropriate engineering control such as enclosures, exhaust ventilation, or other means to control airborne levels below the recommended exposure limits. Good general ventilation should be

sufficient to control airborne levels.

Wear splash-proof goggles, chemical resistant gloves. Protective

Personal protective equipment: equipment for the face and body should be selected based

on the task being performed; avoid product contact with skin and

clothing.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Odor/appearance: Green liquid, sweet odor.

Odor threshold:

Boiling point:

Melting point:

Flash point:

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Density: 1.090 g/cm3 (9.08 lbs/gal)

Solubility: Not determined.

Vapor density: Not applicable.

Vapor pressure Not applicable.

Evaporation rate: Not applicable.

pH: 6

Viscosity: Not applicable. Partition coefficient: Not applicable.

(n-octanol/water)

SECTION 10 - STABILITY and REACTIVITY

Chemical stability: Stable under normal temperatures and pressures.

Hazardous Polymerization: Not reported.

Conditions to avoid:

Heat, flames, incompatible materials, and freezing temperatures (below

0 °C/32 °F).

Incompatible materials: Oxidizing agents. Strong acids and alkalis.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute Toxicity (Oral LD50): No LD50 available. May be harmful if swallowed.

Acute Toxicity (Dermal LD50): No LD50 available. May irritate the skin.

Acute Toxicity Inhalation LC50: No LC50 available. May be harmful if inhaled.

Likely routes of exposure:

Skin irritation May irritate the skin. Eye irritation: May irritate the eyes.

Skin sensitization: Not tested.

Carcinogenic: Not listed by IARC, NTP, or OSHA.

Chronic effects: None known.
Other hazards: None known.

Product: MoPOWER 4-2-1 Nutrient Technologies, Inc. Revision: 9-14-21 | 3

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: No ecotoxicity data was found for this product. Environmental fate: No environmental information found for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state and federal regulations. Waste disposal:

Arrange disposal in accordance to the EPA and/or state and local

guidelines. Empty containers may retain product residues.

SECTION 14 – TRANSPORT INFORMATION

UN transport shipping name: Not restricted as dangerous good.

Transport hazard class: None. UN Identification number: None. Packing group: None.

IATA Shipping name: Not restricted as dangerous good.

SECTION 15 - REGULATORY INFORMATION

Proprietary ingredients: TSCA Inventory status - listed

This material does not contain any chemical components with known

SARA 313 CAS numbers that exceed the threshold reporting levels established by

SARA Title III, Section 313.

SECTION 16 - ADDITIONAL INFORMATION

Health hazard: 1

Fire hazard: 0 HMIS rating:

Reactivity: 0

SDS revision date: 14-Sep-21

Product: MoPOWER 4-2-1