

30% Calcium

A Concentrated Essential Nutrient for Plant Nutrition

GUARANTEED ANALYSIS

Calcium (Ca) 30.0%

Derived From: Hydrated Lime

F1132

Uniformly apply the suggested rates in the following amounts of water per acre.

COMPATABILITY: This product is compatible with most crop protection materials. A compatibility test is recommended when using new combinations. Consult a Nutrient TECH™ representative for additional information.

Field & Row Crops:

By air 10-20 gals.

By ground 10 gals. minimum

Tree Crops:

By air 10 gals. minimum

By ground concentrate 40-100 gals.

By ground dilute 100-500 gals.

In oil sprays, use 1-5 lbs per 100 gallons.

Do not apply with phosphate or sulfate fertilizer products. Any previously applied phosphate or sulfate fertilizer should be thoroughly flushed from fertigation equipment prior to application of this product. Apply the product slowly into fertigation equipment in the early part of the water application. Do not apply through low flow drip irrigation systems.

MAINTAIN ADEQUATE AGITATION AT ALL TIMES DURING MIXING AND APPLICATION.

WARNING

Causes eye and skin irritation



Wear protective clothing, gloves, eye and face protection. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Remove and wash contaminated clothing before reuse. Avoid breathing vapor, mist or dust from this product. Not for human or animal consumption.

If in eyes: Rinse thoroughly with water for several minutes. Continue rinsing and get medical attention if eye irritation persists.

If on skin: Wash with plenty of soap and water.

If swallowed: Rinse mouth and get medical attention if you feel unwell.

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED

AVOID BREATHING DUST



Warning: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

RECOMMENDED USES (RATES PER ACRE)

Alfalfa, Hay & Other Forage Crops - Apply 3-10 lbs. over spring growth, repeat after each cutting.

Almonds - Apply 5-15 lbs. pre-bloom and at 3-4 week intervals as needed post-bloom.

Apples, Pears - Apply 5-15 lbs. at 2-4 week intervals starting pre-bloom. (SEE BELOW)

Barley, Oats, Rice, Wheat & Other Small Grains - Apply 3-10 lbs. at tillering, repeat at early boot if necessary.

Beans, Peas, & Related Legumes - Apply 2-10 lbs. at early bud, repeat after bloom if necessary.

Cabbage, Cauliflower, Broccoli, Brussels Sprouts & Other Cole Crops - Apply 2-10 lbs. as needed after thinning or transplant.

Carrots, Onions, Radishes, Beets & Other Vegetable Root Crops - Apply 2-10 lbs. when top growth is 4-8" high, repeat as necessary.

Citrus, Avocados - Apply 5-15 lbs. in spring, summer and fall sprays.

Corn, Field & Sweet - Apply 3-10 lbs. when 10-20" high, repeat in 2-4 weeks as necessary.

Cotton - Apply 3-15 lbs. at first square, repeat in 2-4 weeks as necessary.

Cucumbers, Melons, Squash & Other Cucurbits - Apply 2-10 lbs. pre-bloom, repeat in 2-4 weeks as necessary.

Grapes - Apply 5-15 lbs. dormant or as needed pre-bloom to post-bloom. (SEE BELOW)

Hops - Apply 5-15 lbs. as needed in cover sprays.

Lettuce, Celery, Spinach & Other Green Leafy Vegetables - Apply 2-10 lbs. as needed after thinning and transplant.

Mint - Apply 5-15 lbs. over new growth, repeat as needed.

Peaches, Plums, Cherries & Other Stone Fruits - Apply 5-25 lbs. pre-bloom and at 3-4 week intervals as needed post-bloom. (SEE BELOW)

Peanuts - Apply 5-15 lbs. at early bloom and just prior to pegging.

Pecans & Other Deciduous Nut Trees - Apply 5-15 lbs. at 3-4 week intervals starting at bud break.

Ornamentals, Trees & Shrubs - Apply 3-15 lbs. at 4-6 week intervals as needed.

Potatoes - Apply 3-10 lbs. at tuber initiation, repeat in 2-4 weeks as necessary.

Raspberries, Blackberries, Blueberries & Other Small Fruit - Apply 3-20 lbs. pre-bloom, repeat in 2-4 weeks as necessary. (SEE BELOW)

Soybeans, Seed Crops - Apply 3-20 lbs. pre-bloom, repeat in 2-4 weeks as necessary.

Sugarbeets - Apply 5-15 lbs. at 4th-6th leaf, repeat in 2-4 weeks as necessary.

Strawberries - Apply 2-10 lbs. pre-bloom, repeat in 2-4 weeks as necessary.

Tomatoes, Peppers, Eggplant & Okra - Apply 3-10 lbs. pre-bloom, repeat in 2-4 weeks as necessary. (SEE BELOW)

Walnuts - Apply 10-30 lbs. as needed.

MIRA-CAL tank mixed with soluble PHOSPHATE fertilizers may leave a visible residue on crops; do not apply such combinations within 3-4 weeks of harvest.

SOIL APPLICATIONS:

For all crops: Apply 3-30 lbs per acre as needed.

Store in a cool, dry, well-ventilated area away from heat, combustible and incompatible materials. Dispose of unused contents, container, and other contaminated wastes in accordance with local, state, and federal law.

NOTICE: Information regarding the contents and levels of metals in this product is available on the Internet at <https://www.aapfco.org/metals.html>

WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY: Nutrient Technologies, Inc. ("NTI") warrants that this Product conforms to the specifications on this label. To the extent consistent with applicable law, NTI makes no other warranties and disclaims all other warranties. See full warranty at www.nutrient.tech/ag-products

MIRA-CAL is a trademark of Nutrient Technologies, Inc.

Nutrient TECH and Nutrient.TECH wordmark and stylized logo are trademarks of Nutrient Technologies, Inc.